

ACC. KONTROLER: ACAB-TUYA-A01



NIŽE U ORIGINALU

1 door TUYA access controller

User capacity: 1000

Authentication mode: Card / password / card + password

Temporary password: 10

Appearance material	PMMA, iron
Working Voltage\Current	DC12V+10%\0.5A (no load)
processor	High-performance 8-bit enhanced MCU
way of communication	Wi-Fi/Bluetooth
recognition speed	<0.5s
user capacity	1000
authentication mode	Card/password/card+password
temporary password	10
Password support digits	6-digit password
lock control output	1
Alarm Output	1
Tamper switch	1
Exit button	1
Magnetic input	1
working environment	-20°C-60°C/10%-90%
Degree of protection	IP53
installation method	wall hanging
size	214x166x50mm



+381 11 355 7599
 +381 63 598 017
 office@aspekt.rs



tuya Remote access control, convenient and professional

Tuya access controller

Single door two-way •Online authorization •Record query


The image shows a wooden door with two digital locks. Below the locks, a white access controller unit is shown with its cover open, revealing internal components including a yellow circuit board and a green antenna. A hand holds a smartphone in the foreground, displaying the Tuya mobile app interface. A Wi-Fi signal icon is shown between the phone and the controller.

Download the Tuya mobile APP to realize remote unlocking of the mobile phone



+381 11 355 7599
+381 63 598 017
office@aspekt.rs

KABLIRANJE: ACAB-TUYA-A01



KRAJ



+381 11 355 7599
+381 63 598 017
office@aspekt.rs