




# RFID ČITAČ – BEŽIČNI - WIEGAND

ŠIFRA DELA: WAR1-B; WAR1-W




## TEHNIČKA SPECIFIKACIJA U ORIGINALU

Wireless Reader	Card Type	13.56MHz Mifare card
	Operating Voltage	3 units of AAA batteries
	Idle Current	≤5uA
	Working Current	≤35mA
	Reading Distance	≤3cm
	Communication Frequency	433MHz
	Communication Distance	30m Maximum
	Operating Temperature	-20'C ~ +60'C (-4'F ~ +140'F)
	Operating Humidity	0% ~ 86%
	Index of Protection	IP65
	Colour	Black, White optional
	Dimensions	L120 * W50 * H20(mm)
	Net Weight	88g
	Receiver	Operating Voltage
Working Current		≤15mA
Communication Frequency		433MHz
Wiegand Output Format		26 bits Or 34 bits (Default is 26 bits)
Operating Temperature		-20'C ~ +60'C (-4'F ~ +140'F)
Operating Humidity		0% ~ 86%
Dimensions		L25 * W50(mm)
Net Weight		10g



+381 11 355 7599  
+381 63 598 017  
office@aspekt.rs



Can work with any wiegand controller




Battery powered, no need wires any more!




### Fast installation within 2 minutes



+381 11 355 7599  
+381 63 598 017  
office@aspekt.rs



Can work with any wiegand controller



Battery powered, no need wires any more!



### Fast installation within 2 minutes



+381 11 355 7599  
+381 63 598 017  
office@aspekt.rs