


FOTO	OPIS PROIZVODA	JM	CENA (EUR)
------	----------------	----	------------

RFID ČITAČI

	2 21 AKR101E	kom	30.00
	Serija GB RFID Citac Kartica EM: 125KHz Wiegand 26 rang: 3 ~ 15cm - Max. rastojanje od Acc. Kontrol. < 150m -25°C ~ 70°C "Water-proof" LED (red - green)		
	2 22 AKR101M	kom	35.00
	Serija GB RFID Citac Kartica MF: 13.56MHz Wiegand 34 rang: 3 ~ 15cm - Max. rastojanje od Acc. Kontrol. < 150m -25°C ~ 70°C "Water-proof" LED (red - green)		
	2 31 ACAM-A30	kom	45.00
	Serija GB RFID Citac Kartica EM, ili Mifare STAND ALONE - Šifратор "touch keypad" rang: 3 ~ 12cm rastojanje od Acc. < 150m - Spoljna primena (dobro natkrivena) buzzer metalno kuciste, ne vodo-otporno - DC12V ~ 15V; ID Card, Users 8000 -20°C ~ 55°C		
	2 34 ACAM208-EM-NW	kom	40.00
	Seija GB Citac Kartica EM (125.00KHz) Wiegand & STAND ALONE; - Šifратор "metal keypad" - rang: 3 ~ 12cm rastojanje od Acc. < 150m -20°C ~ 55°C Spoljna natkrivena primena - buzzer metalno kuciste, ne vodo-otporno DC12V ~ 15V ! ID Card, Users 2000		
	2 35 ACAM208-M1-NW	kom	45.00
	Seija GB Citac Kartica Mifare (13.56MHz) Wiegand & STAND ALONE - Šifратор "metal keypad" - rang: 3 ~ 12cm rastojanje od Acc. < 150m -20°C ~ 55°C Spoljna natkrivena primena - buzzer metalno kuciste, ne vodo-otporno DC12V ~ 15V ! ID Card, Users 2000		
	2 36 ACAM208-EM-WP	kom	30.00
	Seija GB Citac Kartica EM (125.00KHz) Wiegand & STAND ALONE; Šifратор - rang: 3 ~ 12cm rastojanje od Acc. < 150m -20°C ~ 55°C Spoljna primena - Silikonska tastatura buzzer metalno kuciste, vodo-otporno - DC12V ~ 15V ID Card, Users 2000		
	2 37 ACAM208-M1-WP	kom	35.00
	Seija GB Citac Kartica Mifare (13.56MHz) Wiegand & STAND ALONE; - rang: 3 ~ 12cm rastojanje od Acc. < 150m -20°C ~ 55°C Spoljna natkrivena primena - Silikonska tastatura buzzer metalno kuciste, vodo-otporno - buzzer metalno kuciste, vodo-otporno DC12V ~ 15V ! ID Card, Users 2000		

FOTO

OPIS PROIZVODA

JM

CENA (EUR)

DATA TERMINALI

4 50

ACAM105

kom

70.00

Serija GB | RFID Čitač Kartica | EM, ili Mifare | "TOUCH" ŠIFRATOR | STAND ALONE

- Display OLED; DC12V | -10°C ~ 55°C | Komunikacija: 1 x wiegan IN, 1 x wiegand out
- 1000 Korisnika; Memorija za do 100,000 rekorda, "prenos" podataka pomoću USB-diska
- Dimenzije: 117*78*22mm

FOTO

OPIS PROIZVODA

JM

CENA (EUR)

OCR SKENER (ZA SKENIRANJE ID PASOŠA)

7 75

ACAM901


kom

445.00

OCR SKENER (ZA SKENIRANJE ID PASOŠA) | White LED

- Automatski detektuje tip i dimenzuje dokumenta; Vreme skeniranja manje od 2 sec.
- OCR internacionalni standard MRZ | Obezbeđen SDK i API za sistem integratore

FOTO	OPIS PROIZVODA	JM	CENA (EUR)
------	----------------	----	------------

RFID ČITAČI SREDNJEG DOMETA

8	81	ACAM26CW	kom	95.00
---	----	----------	-----	-------

Čitač Kartica | EM: 125KHz | Wiegand 26, 34 | METAL | max. rastojanje od Acc. < 150m
- Rang čitanja: 70 ~ 110cm nominalno u praksi 70 ~ 90cm
- Spoljna primena (metalno kuciste) | buzzer | -20°C ~ 55°C
- Dimenzije: 235W×240H×36D (mm) | DC12V ~ 15V
- CE Sertifikat



8	82	ACAM26CRS485	kom	125.00
---	----	--------------	-----	--------

Čitač Kartica | EM: 125KHz | RS485 | METAL | max. rastojanje od Acc. < 1200m
- Rang čitanja: 70 ~ 110cm nominalno u praksi 70 ~ 90cm
- Spoljna primena (metalno kuciste) | buzzer | -20°C ~ 55°C
- Dimenzije: 235W×240H×36D (mm) | DC12V ~ 15V

FOTO	OPIS PROIZVODA	JM	CENA (EUR)
------	----------------	----	------------

RFID ČITAČI - USB (DESK TOP)

9	84	ACAM-217UHF	kom	125.00
UHF DESKTOP ČITAČ/PISAČ GB <1m) USB SDK - Detaljna tehnička specifikacija: http://www.aspekt.rs/SRBAccessD.html				








9	101	ACAM09N-EM	kom	20.00
Citac Kartica RFID USB 125Khz (EM4100 & EM4001) Read distance : 0~80mm - Dual suppor; Opration system: Windows XP\7\LIUNIX, Android				



9	102	ACAM09N-MF	kom	25.00
Citac Kartica RFID USB 13.56Mhz(MF\S50\Ntag203) Read distance : 0~80mm - Opration system: Windows XP\7\LIUNIX, Android				

FOTO	OPIS PROIZVODA	JM	CENA (EUR)
------	----------------	----	------------

OPREMA ZA ADAPTACIJU VRATA ZA SISTEME KONTROLE PRISTUPA

	13 171 ACAM-YB032 ELEKTRO BRAVICA GB ZA GARDEROBNE ORMARIĆE (VRATA) - Electric Display Cabinet Lock; Lock Size : 54.5Lx41Wx28H(mm); Pin: 10Lx10Wx8H(mm) - Working voltage: 12VDC; Current: 1.45A ± 10%	kom	10.00
	13 172 ACAM-Y132-NC ELEKTRO PRIHVATNIK GB FAIL SAFE (PPS-NC); DUGI - EURO - Lock Size: 250x25x31mm; Voltage: DC12V Current: 400mA; CE sertifikat	kom	25.00
	13 173 ACAM-Y132-NO ELEKTRO PRIHVATNIK GB FAIL SECURE (IMP-NO); DUGI - EURO - Lock Size: 250x25x31mm; Voltage: DC12V Current: 400mA; CE sertifikat	kom	25.00
	13 174 ACAM-Y500U ELEKTRO BRAVICA GB ZA STAKLENA VRATA	kom	70.00
	13 175 ACAM-M60 HIDRAULIČNI ZATVARAČ VRATA GB 65kg; CE sertifikat	kom	25.00