

| FOTO | OPIS PROIZVODA | JM | CENA (EUR) |
|------|----------------|----|------------|
|------|----------------|----|------------|

RFID ČITAČI KARTICA - WIEGAND PLATFORMA



| | | | | |
|---|---|--------------|-----|-------|
| 2 | 1 | HASY-R201-EM | kom | 25.00 |
|---|---|--------------|-----|-------|

RFID ČITAČ KARTICA | HASY-R201 | 125KHz | WIEGAND 26 | IP65 | 9~12VDC
- Communication Distance WG≤100M; Dimension: L77.5mm x W42.8mm x H16.5mm



| | | | | |
|---|---|--------------|-----|-------|
| 2 | 2 | HASY-R201-MF | kom | 30.00 |
|---|---|--------------|-----|-------|

RFID ČITAČ KARTICA | HASY-R201 | 13.56MHz | WIEGAND 26 | IP65 | 9~12VDC
- Communication Distance WG≤100M; Dimension: L77.5mm x W42.8mm x H16.5mm



| | | | | |
|---|----|------------------|-----|-------|
| 2 | 13 | HASY-R148-EM-HID | kom | 35.00 |
|---|----|------------------|-----|-------|

RFID ČITAČ KARTICA | HASY-R148 | 125KHz & HID | WIEGAND 26/34 | IP65 |
- Material : Plastic case; Size: 110*48*20mm; Communication Distance WG<100M
- Built-in LED (Double Color LED) and and Buzzer









| | | | | |
|---|----|-----------|-----|-------|
| 2 | 18 | HASY-R601 | kom | 45.00 |
|---|----|-----------|-----|-------|

RFID ČITAČ KARTICA | HASY | DUAL FREQUENCY | WIEGAND 26/34 | 9~15VDC
- Dual frequency Card Reader; Acrylic panel, Plastic case; Size : 86*86*8.8mm
- Frequency: 125Khz & 13.56Mhz; 13.56Mhz reader reject copy tag

| FOTO | OPIS PROIZVODA | JM | CENA (EUR) |
|------|----------------|----|------------|
|------|----------------|----|------------|

RFID ČITAČI KARTICA - SAMOSTALNI I WIEGAND

| | | | |
|--|---|-----|-------|
|  | 3 31 HASY-S212H-EM-NWP | kom | 35.00 |
| | RFID ČITAČ KARTICA HASY-S212H-EM-NWP SAMOSTALAN & WIEGAND IN/OUT - Metal case, anti-vandal, digital backlit keypad, Silicone Keyboard; NON Waterproof - 2000 users, card (125KHz) or PIN code; Access way: card, pin, card+pin - Dim: 118x56x20mm; Temperature: -45°C~60°C | | |
|  | 3 32 HASY-S212H-EM-WP | kom | 40.00 |
| | RFID ČITAČ KARTICA HASY-S212H-EM-WP SAMOSTALAN & WIEGAND IN/OUT - Metal case, anti-vandal, digital backlit keypad, Silicone Keyboard; IP68 Waterproof - 2000 users, card (125KHz) or PIN code; Access way: card, pin, card+pin - Dim: 118x56x20mm; Temperature: -45°C~60°C | | |
|  | 3 33 HASY-S212-EM | kom | 45.00 |
| | RFID ČITAČ KARTICA HASY-S212-EM SAMOSTALAN & WIEGAND 26 METALNO KUĆIŠTE IP68 IP68 Waterproof standalone reader; 2000 users, card or PIN code Metal case, anti-vandal, digital backlit keypad, Metal Keyboard Three access way: card, pin, card + pin; Temperature: -45~60C°; Dim. 118 x 56 x 20mm | | |
|  | 3 34 HASY-S212-MF | kom | 55.00 |
| | RFID ČITAČ KARTICA HASY-S212-MF SAMOSTALAN & WIEGAND METALNO KUĆIŠTE IP68 - IP68 Waterproof standalone reader; 2000 users, card or PIN code - Metal case, anti-vandal, digital backlit keypad, Metal Keyboard - Three access way: card, pin, card + pin - WG26 input/output, with WG26 card reader function - Ambient temperature: -45~60C°; Dimension : 118 x 56 x 20mm | | |
|  | 3 37 HASY-315 | kom | 65.00 |
| | Serijski HASY RFID Čitač Kartica EM, ili Mifare "TOUCH" ŠIFRATOR STAND ALONE - Display OLED; DC12V -10°C ~ 55°C Komunikacija: 1 x wiegan IN, 1 x wiegand out - 1000 Korisnika; Memorija za do 100,000 rekorda, "prenos" podataka pomoću USB-diska - Dimenzije: 117*78*22mm | | |
|  | 3 38 HASY-F107E | kom | 35.00 |
| | SKENER OTISKA PRSTA & RFID ČITAČ KARTICA & TASTATURA HASY WIEGAND - Fingerprint & RFID Access Control; User capacity: Finger 1000, Card 1000, PIN 1000 - 3 access modes: fingerprint, card, PIN; Wiegand 26 bits output, with card reader function - Operating Voltage: DC12V; Dimensions: 88mm *88m m* 30mm | | |

| FOTO | OPIS PROIZVODA | JM | CENA (EUR) |
|------|----------------|----|------------|
|------|----------------|----|------------|

RFID ČITAČI KARTICA - DESKTOP (USB)

| | | | | |
|---|----|--------------|-----|-------|
| 4 | 81 | HASY-U183-EM | kom | 10.00 |
|---|----|--------------|-----|-------|

RFID ČITAČ KARTICA | HASY | USB - DESKTOP | EM 125MHy; Dimension: 110x80x25mm



| | | | | |
|---|----|--------------|-----|-------|
| 4 | 82 | HASY-U183-MF | kom | 15.00 |
|---|----|--------------|-----|-------|

RFID ČITAČ KARTICA | HASY | USB - DESKTOP | MF 13.56GHz; Dimension: 110x80x25mm



| | | | | |
|---|----|--------------|-----|-------|
| 4 | 83 | HAY-U183-MRW | kom | 45.00 |
|---|----|--------------|-----|-------|





RFID ČITAČ / PISAČ KARTICA | HASY | USB - DESKTOP | MF 13.56GHz; Dimension: 110x80x25mm



| | | | | |
|---|----|-------------|-----|--------|
| 4 | 84 | HASY-HU606B | kom | 115.00 |
|---|----|-------------|-----|--------|

UHF ČITAČ / PISAČ KARTICA | HASY | USB - DESKTOP | Frequency EU: 865~868MHz

- Protocol: ISO18000-6B,ISO18000-6C (EPC GEN2)
- FHSS or Fix Frequency transmission, standard FHSS
- Built in antenna,Reader max distance 18cm, writer distance 8cm
- Free DLL and DEMO Software source code to facilitate further development

| FOTO | OPIS PROIZVODA | JM | CENA (EUR) |
|--|--|-----|------------|
| EXIT TASTERI | | | |
|  | 8 301 KA4-B EXIT TASTER - UZIDNI - Size: 91*28*25mm; Material: Zinc alloy, stainless steel button - Output contact: NO/COM; Current: 3A@12VDC Max, Optional DC24V; 100,000 tests | kom | 5.00 |
|  | 8 302 KA4 EXIT TASTER - UZIDNI - Size: 86*86*25mm; Material: Zinc alloy, stainless steel button - Output contact: NO/COM; Current: 3A@12VDC Max, Optional DC24V; 100,000 tests | kom | 5.50 |
|  | 8 303 KA4-C EXIT TASTER - NAZIDNI - Size: 80*30*25mm; Material: Zinc alloy, stainless steel button - Output contact: NO/COM; Current: 3A@12VDC Max, Optional DC24V; 100,000 tests | kom | 8.50 |
|  | 8 305 K4-BL EXIT TASTER - UZIDNI SA LED (PLAVO SVETLO) PRSTENOM - Size: 91*28*40mm; Material: Zinc alloy, stainless steel button - Output contact: NO/COM; Current: 3A@12VDC Max, Optional DC24V; 100,000 tests | kom | 7.50 |
|  | 8 306 KA4-L EXIT TASTER - UZIDNI SA LED (PLAVO SVETLO) PRSTENOM - Size: 86*86*40mm; Material: Zinc alloy, stainless steel button - Output contact: NO/COM; Current: 3A@12VDC Max, Optional DC24V; 100,000 tests | kom | 7.50 |
|  | 8 307 KA4-CL EXIT TASTER - NAZIDNI SA LED (PLAVO SVETLO) PRSTENOM - Size: 80*30*25mm; Material: Zinc alloy, stainless steel button - Output contact: NO/COM; Current: 3A@12VDC Max, Optional DC24V; 100,000 tests | kom | 10.00 |
|  | 8 311 AK6-B EXIT "TOUCH" TASTER - NAZIDNI; LED Indicator; Output contact: NO/NC/COM; 12VDC - Touch screen exit button; SPDT touch sensitive switch unit designed - Dimensions : 86Lx50Wx20H(mm); Mechanical life: 100,000 tests | kom | 10.00 |

| FOTO | OPIS PROIZVODA | JM | CENA (EUR) |
|------|----------------|----|------------|
|------|----------------|----|------------|

OSTALO

9 950

HASY-08

kom

7.00






ZAŠTITNI POKLOPAC | HASY | ZA RFID ČITAČE; PVC; ZAŠTITNA GUMA

- Rain shield (rainproof housing); Dimension: Outside: 15cm* 10.4cm*9c

- Inside: 13.5cm*8.9cm*8.4cm (L*W*Tlength is less than 13 cm)

| FOTO | OPIS PROIZVODA | JM | CENA (EUR) |
|------|----------------|----|------------|
|------|----------------|----|------------|

MOTOR ZA (OTVARANJE/ZATVARANJE) KLIZNE KAPIJE

| | | | |
|--|--|-----|--------|
|  | 11 181 SAL-370W | kom | 245.00 |
| | MOTOR ZA (OTVARANJE/ZATVARANJE) KLIZNE KAPIJE HASY 370W 500kg - Osnovna ploča; 4 x Anker; 2 x Nosač limitera; 2 x Ključ - 2 x Mehanički ključ; Priručnik za instalaciju i upotrebu | | |
|  | 11 182 SAL-550W | kom | 265.00 |
| | MOTOR ZA (OTVARANJE/ZATVARANJE) KLIZNE KAPIJE HASY 550W 1000kg - Osnovna ploča; 4 x Anker; 2 x Nosač limitera; 2 x Ključ - 2 x Mehanički ključ; Priručnik za instalaciju i upotrebu | | |
|  | 11 183 SAL-750W | kom | 275.00 |
| | MOTOR ZA (OTVARANJE/ZATVARANJE) KLIZNE KAPIJE HASY 750W 1500kg - Osnovna ploča; 4 x Anker; 2 x Nosač limitera; 2 x Ključ - 2 x Mehanički ključ; Priručnik za instalaciju i upotrebu | | |
|  | 11 184 SAL-1200W | kom | 295.00 |
| | MOTOR ZA (OTVARANJE/ZATVARANJE) KLIZNE KAPIJE HASY 1200W 2500kg - Osnovna ploča; 4 x Anker; 2 x Nosač limitera; 2 x Ključ - 2 x Mehanički ključ; Priručnik za instalaciju i upotrebu | | |
|  | 11 185 ZLETVA8 | kom | 15.00 |
| | ZUPČASTA LETVA ZA KRILNE KAPIJE ČELIČNA 1m 8mm | | |
|  | 11 186 ZLETVA12 | kom | 20.00 |
| | ZUPČASTA LETVA ZA KRILNE KAPIJE ČELIČNA 1m 12mm | | |