

FOTO	OPIS PROIZVODA	STANJE	CENA (EUR)
------	----------------	--------	------------

1 STANDARDNE DALJINSKE KOMANDE 433MHz - BEZ DALJINACA



1	1	EBA-405	8	30.00
---	---	---------	---	-------

DALJINSKE KOMANDE | 1Ch Rx (Risiver) | EBA-405 | 433MHz; 12VDC;
- Remote Control For Access Controller, Domet <150m na otvorenom



1	2	EBA-19A	2	34.00
---	---	---------	---	-------

DALJINSKE KOMANDE | 1Ch Rx (Risiver) | EBA-405 | 433MHz; 12VDC
- Domet: nominalan na otvorenom < 100m
- U urbanom okruženju, iz iskustva: < 30 ~ 60m, zavisi od okruženja



1	3	EBA-19B	27	40.00
---	---	---------	----	-------

DALJINSKE KOMANDE | 2Ch Rx (Risiver) | EBA-19B | 433MHz; 12VDC
- Domet: nominalan na otvorenom < 100m
- U urbanom okruženju, iz iskustva: < 30 ~ 60m, zavisi od okruženja



1	4	EBA-19D	2	45.00
---	---	---------	---	-------

DALJINSKE KOMANDE | 4Ch Rx (Risiver) | EBA-19D | 433MHz; 12VDC
- Domet: nominalan na otvorenom < 100m
- U urbanom okruženju, iz iskustva: < 30 ~ 60m, zavisi od okruženja

2 DALJINCI 433MHz



2	1	EBA-405-D	10	9.00
---	---	-----------	----	------

DALJINSKE KOMANDE | EBA-405-D | Tx - DALJINAC 2Ch
- 2 x Channel Universal Wireless RF Remote Control 433MHz








2	2	ACAM-R402	140	13.00
---	---	-----------	-----	-------

DALJINSKE KOMANDE | ACAM-R402 | Tx - DALJINAC 4Ch
- 4 x Channel Universal Wireless RF Remote Control 433MHz





2	3	EBA-19-C-1	0	15.00
---	---	------------	---	-------

DALJINSKE KOMANDE | EBA-19-C-1 | Tx - DALJINAC 1Ch
- 1 x Channel Universal Wireless RF Remote Control 433MHz

FOTO	OPIS PROIZVODA	STANJE	CENA (EUR)
	2 4 EBA-19-C-2 DALJINSKE KOMANDE EBA-19-C-2 Tx - DALJINAC 2Ch - 2 x Channel Universal Wireless RF Remote Control 433MHz	40	20.00
	2 5 EBA-19A-4-D DALJINSKE KOMANDE - DALJINAC 1 x Tx (DALJINAC - 4Ch) ZA: AFREM-433-TX4 - 4 x Channel Universal Wireless RF Remote Control 433MHz	24	25.00
	2 7 D-AB433 DALJINSKE KOMANDE - DALJINAC D-AB433 1 x Tx (DALJINAC - 1Ch) - DOK TRAJU ZALIHE	1	5.00
	2 8 0022101 DALJINSKE KOMANDE - DALJINAC 0022101 1 x Tx (DALJINAC - 1Ch) - DOK TRAJU ZALIHE	2	5.00
	2 9 AFREM-433-TX4 DALJINSKE KOMANDE EBA-19A-4-D Tx - DALJINAC 4Ch - 4 x Channel Universal Wireless RF Remote Control 433MHz - DOK TRAJU ZALIHE	10	5.00

3 DALJINSKE KOMMANDE 8Ch IDALJINCI 8Ch

	3 1 EBA-19H DALJINSKE KOMANDE 8Ch Rx (Risiver) EBA-19H 433MHz; 12VDC	2	50.00
	3 2 EBA-19HD DALJINSKE KOMANDE 8Ch Tx (Daljinac) EAB-19HD	2	25.00

4 DALJINSKE KOMANDE / ROLLING, FIX. CODE I "LEARNING" CODE








FOTO	OPIS PROIZVODA	STANJE	CENA (EUR)
	4 1 RAX-MULTI DALJINSKE KOMANDE 2Ch Rx (Risiver) RAX-MULTI: 300-868MHz 9VDC~30VDC - For power < 24VDC (Shorten jumpers 1 i 2); For power > 24VDC (Shorten jumpers 2 i 3); - Encoding type: Rolling code, fixed code, learning code - Support brands: NICE, FaaC, MARANTEC, SOMER, DITECH, Liftmaster, Aprimatic etc.	2	45.00
5 DALJINCI ZA RAX-MULTI (Rx)			
	5 1 HASY-K11ATx DALJINSKE KOMANDE Tx-DALJINCI 2Ch HASY-K11ATx 315MHz; Universal rolling open code - Rang: 50~100m; Na daljinskoj komandi RAX-MULTI postavite jumper 4 na ON	18	25.00
	5 8 TO.GO DALJINSKE KOMANDE Tx-DALJINCI 1Ch TO.GO (Beninca) 315MHz; Universal rolling open code - Rang: 50~100m; Na daljinskoj komandi RAX-MULTI postavite jumper 4 na ON - DOK TRAJU ZALIHE	1	20.00
7 DALJINSKE KOMANDE - DALJINCI - CARDIN - ITALIJA			
	7 50 AMORPH433RM MORPHEUS RISIVER 2-channel mini stationary transceiver (12/24Vac-dc)	0	75.00
	7 51 AMORPH433T1 MORPHEUS DALJINAC ORIGINAL CARDIN 433 MHz 1Ch RANGE 100 - 200 m - "FM" "ROLLING CODE"; 2 na 128 CODE COMBINATIONS; - Shockproof plastic material; 3,7 V power supply with Li-Poly rechargeable battery. - Overall dimensions 34 x 72 x 11	0	30.00
	7 52 AMORPH433T2 MORPHEUS DALJINAC ORIGINAL CARDIN 433 MHz 2Ch RANGE 100 - 200 m - "FM" "ROLLING CODE"; 2 na 128 CODE COMBINATIONS; - Shockproof plastic material; 3,7 V power supply with Li-Poly rechargeable battery. - Overall dimensions 34 x 72 x 11	0	30.00
	7 53 AMORPH433T4A MORPHEUS DALJINAC ORIGINAL CARDIN MORPH433T4A - 4Ch + Antena ~700m DALJINAC 433 MHz 4Ch + ANTENNA DOMET DO MAX. 700 m - "FM" "ROLLING CODE"; 2 na 128 CODE COMBINATIONS; - Shockproof plastic material; 3,7 V power supply with Li-Poly rechargeable battery. - Overall dimensions 34 x 72 x 11	0	75.00













FOTO	OPIS PROIZVODA	STANJE	CENA (EUR)
8 DALJINSKE KOMANDE - WiFi APP (MOB. TEL.) + DALJINCI			
	8 1 Wi-Fi A DALJINSKE KOMANDE Rx-RISIVER (A) 1Ch 5~24VDC HASY PREKIDAČ I/ILI TASTER - Funkcioniše besprekorno u dometu WiFi Interneta; APP: eWeLink - Na vaš "smart" telefon instalirajte aplikaciju: za "android" ("Google play") - Na vaš "smart" telefon instalirajte aplikaciju: za "IOS" ("APP Store") - PODRŽAVA IoS i Android MOBILNE TELEFONE Voltage: 5~24V; 10A relay	17	40.00
	8 2 GA1 DALJINSKE KOMANDE GA1 PUTE M MOBILNOG TELEFONA U DOMETU INTERNETA - WiFi Access Control Module Support APP/2G/3G/4G to Unlock - PVC Box; Support APP+2G+3G+4G; Voltage: 5~24V; 10A relay; - Installation Environment: With WiFi Support Ios and Android phon	12	25.00
	8 3 GA1-ZJ DALJINSKE KOMANDA GA1-ZJ WiFi APP: eWeLink 7~12VDC; 80mA; 230V - WiFi Access Control Module Support APP to Unlock 80x50x32mm - Time delay: podesivo 3, 6, ili 9sec	2	35.00
	8 5 DALJINAC Rx RF WiFi DALJINSKE KOMANDE Rx-RISIVER 1Ch; 230V SONOFF Basic RF PREKIDAČ - Kapacitet je max. 14 Tx (433) - DALJINACA - Na vaš "smart" telefon instalirajte aplikaciju: za "android" ("Google play") - Na vaš "smart" telefon instalirajte aplikaciju: za "IOS" ("APP Store")	1	25.00
	8 7 Sonoff 4CH PRO DALJINSKE KOMANDE Rx 4Ch RF (433) + WiFi (BLUETOOTH) 5 ~ 24VDC - Taster opcija – mogućnost štelovanje taster zadržavanja uređaja od 0.5s do 3600s - Na vaš "smart" telefon instalirajte aplikaciju: za "android" ("Google play") - Na vaš "smart" telefon instalirajte aplikaciju: za "IOS" ("APP Store") - Kontrola glasom - Uređaj je kompatibilan sa Amazon Alexa, Google Nest i Google Home aplikacijom	1	75.00
	8 7 RAMPA-YAFBA UNIVERZALNA DALJINSKA KOMANDA RFID MIFARE & BLUETOOTH & WIFI OTVARA: - RFID (mifare) KARTICA; Opseg: 3 ~ 12cm - "TOUCH" TASTATURA - ŠIFRA: Opseg: kontakt - "SMART" mob. tel. aplikacije TTLock: Opseg: 6~17m, zavisi od okruženja - "SMART" mob. tel. aplikacije TTLock + Gateway: Opseg: u okviru "RAMPA-GATEWAY" - Gateway nije uključen u cenu, napajanje nije uključeno u cenu	7	65.00
	8 8 RAMPA-GATEWAY GATEWAY + BLUETOOTH RANG-, 6 ~ 17m ŠIRI OPSEG ZA RAMPA-YAFBA	20	35.00

FOTO	OPIS PROIZVODA	STANJE	CENA (EUR)
	8 11 GSM-1DI-1DO GSM Mini SIM - SMS Kontroler 1 x DI & 1 x DO za daljinsko upravljanje i nadzor - DIN šinu, Primer: otvaranje kapija, rampi, uključivanje/isključivanje uređaja itd. - Podesavanje: software (RS 232); ili SMS 1 x Relejni izlaz 1 x digitalni (alarmni) ulaz - Autorizacija do max. 200 korisnika (različitih SIM Kartica - mobiln - Napajanje Mean Well DIN šina 24W/12VDC/0-2A - Komplet bez kućišta	1	245.00
	8 12 GSM-4DI-2DO GSM Mini SIM - SMS Kontroler 4 x DI & 2 x DO za daljinsko upravljanje i nadzor za DIN šinu - 6 releja i 6 podnožja za releje (finder) - Primer: otvaranje kapija, rampi, uključivanje/isključivanje uređaja itd. - Podesavanje: software (RS 232); ili SMS 2 x Relejna izlaza 4 x digitalna (alarmna) ulaza - Autorizacija do max. 200 korisnika (različitih SIM Kartica - mobilnih - Napajanje Mean Well DIN šina 24W/12VDC/0-2A - Komplet bez kućišta	0	245.00
	8 13 SMS-REP-PROG USLUGE Programiranje i podesavanje GSM (sms) Controller-a "na stolu"	0	25.00

9 OSTALO NA STANJU

	9 1 QAN-DF Daljinac QAN-DF / uči fiksni code postojećeg daljinca	2	14.70
	9 2 QAN-DR Daljinac QAN-DR / uči "rolling" code postojećeg daljinca (Nice, V2 and Ditec IM)	2	17.53

10 KOMANDNE KONZOLE SA TASTERIMA


	10 1 KK27IP66 KOMANDNA KONZOLA 2 x TASTER ABS, IP66, 80 x 130 x 70mm - Crveni Ø22mm, 1NO + 1NC, IP65/IP20 Zeleni Ø22mm, 1NO + 1NC, IP65/IP20 - Kabl (komandno - signalni) 2m	2	15.00
--	---	---	-------









FOTO	OPIS PROIZVODA	STANJE	CENA (EUR)
	10 2 CCABSIP40-2T KOMANDNA KONZOLA (2) ABS-IP40 71 x 130 x 66; Ø22.5mm - 1 x TASTER - CRVENI (NO/NC) 1 x TASTER - ZELENI (NO/NC)	1	10.00
	10 3 CCABSIP40-3T KOMANDNA KONZOLA (3) ABS-IP40 71 x 130 x 66; Ø22.5mm - 1 x TASTER - CRVENI (NO/NC) 1 x TASTER - ZELENI (NO/NC) - 1 x ALARMA TREPČUĆA SIJALICA I ZUJALICA (24VDC)	1	15.00
	10 21 MNL1-CC Komandna konzola MNL (1/NO) Tasteri, nerđajući čelik, Ø18/M16 - Aluminjumska kutija; plastifikacija - crno; desktop, ili montaza na zid, 3m kabl - Opcije: LED indikacija, buzzer	0	15.00
	10 22 MNL2-CC Komandna konzola MNL (2/NO) Tasteri, nerđajući čelik, Ø18/M16 - Aluminjumska kutija; plastifikacija - crno; desktop, ili montaza na zid, 3m kabl - Opcije: LED indikacija, buzzer	5	45.00
	10 23 MNL2-CC-BUZ Komandna konzola MNL (2/NO+Buzzer) Tasteri, nerđajući čelik, Ø18/M16 - Aluminjumska kutija; plastifikacija - crno; desktop, ili montaza na zid, 3m kabl - Opcije: LED indikacija	5	50.00
	10 24 MNL4-CC-AL Komandna konzola MNL (4/NO) Tasteri, nerđajući čelik, Ø18/M16 - Aluminjumska kutija; plastifikacija - crno; desktop, ili montaza na zid, 3m kabl - Opcije: LED indikacija, buzzer	0	75.00
	10 25 MNL4B-CC-AL Komandna konzola MNL (4/NO+Buzzer) Kutija stona - aluminijum - plastificirana (crno) - Tasteri inox M16, Ø18mm metalna uvodnica za kabl - 3m komandno-signalni kabl - savitljiv	1	75.00

FOTO	OPIS PROIZVODA	STANJE	CENA (EUR)
	10 28 MNL8-CC-AL Komandna konzola MNL (8/NO) Tasteri, nerđajući čelik, Ø18/M16 - Aluminjumska kutija; plastifikacija - crno; desktop, ili montaza na zid, 3m kabl - Opcije: LED indikacija, buzzer	0	100.00