

A6100-DMF1

RFID Kartica (1)

Ključ (2)



Applicable Card: Temic , Mifare 1 , EM/ID




CE FC RoHS COMPLIANT ISO(2008)

Features



Material: Stainless Steel 304
 Opening ways: Cards, Mechanical Key
 Battery: 4 Standard AA alkaline batteries, 18 months in normal state
 Indication: Light, Sound (Mute, Beep or Music optional)
 Deadbolt Indication: Blue and red light when touch key card
 Unlocking record for trail: Yes
 Low voltage warning: Yes
 Passage mode for meeting room: Yes
 Static consumption: 12uA
 Dynamic consumption: 300mA
 Humidity: 20% - 80%
 Working temperature: -10°C-60°C

Packing

8PCS/CTN
 20KGS/CTN
 60.5*30.5*35CM/CTN




Mortise European 6#



Material	Flank plate	Stainless steel 304
	Latch & Bolt	Zinc alloy
	Cover	Steel

Mortise ANSI-S(zinc alloy latches)

Distributer:



ASPEKT System Integration d.o.o.

Požeška 67a, 11000 Belgrade, Serbia

Phone: +381 11 3557 599

Fax: +381 11 3543 367

office@aspekt.rs

www.aspekt.rs

www.aspektdoo.com